

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Welded Soft Shell Jacket. J324

Product photo



You'll stay warm and protected from wind and rain in this value-priced soft shell. Welding details on the pockets and at the elbows give this jacket a sharp, technical look.

- 100% polyester woven shell bonded to a water-resistant film insert and a 100% polyester microfleece lining
- 1000MM fabric waterproof rating
- 1000G/M² fabric breathability rating
- Wind-resistant and water-repellent
- Reverse coil zippers with locking zipper pulls
- Full-length interior storm flap with chin guard
- Zippered chest pocket and front pockets with welding details
- Welding details at elbows
- Open hem with drawcord and toggles for adjustability

CARE INSTRUCTIONS

Machine wash cold with like colors. Only non-chlorine bleach, when needed. Tumble dry medium. Cool iron, if necessary.

Sketches



front



back

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Welded Soft Shell Jacket. J324

PRODUCT MEASUREMENTS

	XS	S	M	L	XL	2XL	3XL	4XL
Body Length at Front	26 3/4	27 3/4	28 3/4	29 3/4	30 3/4	31 3/4	32 1/4	32 3/4
Chest	20	21 1/2	23	24 1/2	26	27 1/2	29 1/2	31 1/2
Sleeve Length from Center Back	34	34 3/4	35 1/2	36 1/4	37	37 3/4	38 1/2	39 1/4

Body Length at Front: Measure from high point shoulder to lowest point of hem at front.

Chest: Measured across the chest one inch below armhole when laid flat.

Sleeve Length from Center Back: Measure from Center Back neck to shoulder point to sleeve hem.

SIZE CHARTS


	XS	S	M	L	XL	2XL	3XL	4XL
Chest	32-34	35-37	38-40	41-43	44-46	47-49	50-53	54-57

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Welded Soft Shell Jacket. J324

HOW TO MEASURE



CHEST

Measure under the arm and around the fullest part of the chest with arms down, keeping tape horizontal.

COLORS

Please note: PMS code information is shown only when an exact match is available.

				
Battleship Grey PMS 7540 C	Black PMS BLACK C	Deep Smoke PMS 425C	Dress Blue Navy PMS 533C	Estate Blue PMS 2767C